BERRYALLOC®

LAMINATE ▪ PARQUET ▪ WALLS ▪ VINYL PLANKS

PURELOC

BerryAlloc Vinyl Planks

Wherever. Forever.

Exclusively By:

UTOPIA LIVING

Reflections of nature

Exceptional characters grow over time, organic, to the rhythm of nature. The resulting strength and beauty, are reflected in the PureLoc collections of BerryAlloc.
These reflections of pure beauty provide every interior with an authentic luxurious feel.
The PureLoc and PureLoc Pro collections offer a wide variety of decors with top finishes: matt look, micro-bevel, realistic wood structure,... They are easy and quick to install, thanks to the genius locking system.

PureLoc. follow your intuition and choose the floor that is purely you.

BerryAlloc

Thanks to its excellent quality, comprehensive and innovative range and extensive service the BerryAlloc Group has grown into an international player and highly rated interior and decoration specialist for both residential and commercial projects. Not just with vinyl planks but also with laminate, parquet and wall panels. BerryAlloc is about passion. The passion to provide you with the best of the best. And the passion to consciously strive towards a greener and more sustainable world, both in our philosophy and actions.

Durable floors, quick and easy to install

The PureLoc floors are an esthetic answer to **durable comfort**.
Luxurious, refined and of excellent quality.
Easy to install: thanks to the **locking system**: the boards are locked together, ready to use.
Our PureLoc **superior wear layer** protects your floor from the many assaults unleashed on it during a busy day.
With its thickness of only 4 or 5 mm, PureLoc is an **excellent solution for renovation**.
The boards are easy to install over your existing floor.

The pleasant feeling of warmth and silence

PureLoc is a **quiet floor**: the vinyl provides a soft sound when walked on.
Our floors are a **100% recyclable**, in all aspects, one with nature.
PureLoc touches the senses. Not only are our decors a delight on the eye, they also **feel warm and cosy to your feet**.
They have a low heat resistance, which makes them an ideal fit with floor heating.

Also suited for wet rooms

PureLoc floors are **water resistant**, so also suited for bathroom and kitchen and **easy to clean** with water and standard cleaning products.
All our PureLoc floors are hygienic, thanks to the **polyurethane top layer**.
PureLoc is **anti-static and anti-slip**.

PureLoc

Every pattern, every color, every nuance of nature is different and defines the environment around you. Our collection of 20 PureLoc decors inspires to do the same by giving you a wide choice in colors to enhance the beauty of every room in your home, for you to enjoy, for many years to come.

Nepal Grey

Desert Oak

Mountain Oak

Winter Wood

Autumn Oak



Honey Oak

Summer Pine

PureLoc Pro

PureLoc Pro combines extra high durability with a variety of different designs to choose from; the floors of this collection go the extra mile and are suited for both residential and commercial use. From fashionable shops, to hotel rooms, to the comfort of your own living room.

Metallic

Natural Teak

Lava Oak

PURELOC - Planks

4 mm / 0,3 mm wear layer

4 mm / 0,3 mm wear layer

Size plank 1213 x 171 x 4 mm , planks / box = 8 = 1,66 m² (13 kg), 70 boxes / pallet = 116,25 m² (930 kg)
Size plank: 47.74 " x 6.74" x 0.16", planks / box = 8 = 17.88 sq.ft /box (13 kg), 70 boxes / pallet = 1251,32 sq.ft. (930 kg)

Nepal Grey - 3161-3036

Mystic Grey - 3161-3034

Summer Pine - 3161-3039

Soft Sand - 3161-3038

Desert Oak - 3161-3024

Sunset Oak - 3161-3041

Honey Oak - 3161-3027

Autumn Oak - 3161-3020

Natural Teak - 3161-3035

Mountain Oak - 3161-3033

Ginger Oak - 3161-3025

Marono Walnut - 3161-3031

Ancient Dark - 3161-3019

Winter Wood - 3161-3044

Rustic Pine - 3161-3037

Vintage Oak - 3161-3042

PURELOC - Tiles

4 mm / 0,3 mm wear layer

4 mm / 0,3 mm wear layer

Size tile 603 x 298 x 4 mm, tiles / box = 8 = 1,44 m² (11,3 kg), 78 boxes / pallet = 112,20 m² (920 kg)
Size tile: 23.74" x 11.74" x 0.16", planks / box = 8 = 15.48 sq.ft / box (11,3 kg), 78 boxes / pallet = 1207,73 sq.ft. (920 kg)

Limestone Light - 3160-3030

Limestone Dark - 3160-3029

Concrete Light - 3160-3023

Concrete Dark - 3160-3022

PURELOC PRO - Planks

5 mm / 0,55 mm wear layer

Size Plank: L 1212 x W 171 x TH 5 mm, planks/box 8 = 1,65 (16 kg), 55 boxes/pallet = 91,00 m² (900 kg)
Size plank: L 47.72" x W 6.72" x TH 0.20", planks/box = 8 = 17.80 sq.ft (16 kg) , 55 boxes/pallet = 979 sq.ft (900 kg)

Washed White - 3181-3043

Desert Oak - 3181-3024

Nepal Grey - 3181-3036

Lava Oak - 3181-3028

Honey Oak - 3181-3027

Hazelnut - 3181-3026

Century Oak - 3181-3021

Natural Teak - 3181-3035

PURELOC PRO - Tiles

5 mm / 0,55 mm wear layer

Size tile: L 602 x W 298 x TH 5 mm, 8 tiles/box = 1,43 m² (13,80 kg), 60 boxes/pallet = 86,10 m² (848 kg)
Size tile: L 23.72" x W 11.72" x TH 0.20", 8 tiles/box = 15.44 sq.ft, (13.80 kg), 60 boxes/pallet = 926 sq.ft (848 kg)

Metallic - 3180-3032

Light Concrete - 3180-3023

Dark Concrete - 3180-3022

DESCRIPTION	STANDARD	UNIT	PURELOC	PURELOC PRO
Thickness	EN 428	mm / inch	4 / .16	5 / .20
Wearlayer	EN 429	mm / MIL	0,3 / 12	0,55 / 22
Classification	EN 685	class	23/31	23/33/42
Fire Classification	EN 13501 - 1	class	B_{fl} -s1	B_{fl} -s1
Slipresistance	DIN 51130	class	R10	R10
	EN 13893	class	DS	DS
Weargroup	EN 660 - 1		T	T
Residual Indentation	EN 433	mm	<0,1	<0,1
Thermal Resistance	DIN 52612	m² K/W	0, 02	0, 02
Castor Chair	EN 425		No change in appearance or damage	No change in appearance or damage
Colourfastness	ISO 105-B02	Grade	> 6	> 6
Chemical product resistance	EN 423		OK	OK
Floor heating system		C°	Yes, max. 27	Yes, max. 27
Dimensional stability	EN 434		<0,25%	<0,25%
Formaldehyde Emission	EN 717-1		E1	E1
Guarantee			Lifetime residential use	Lifetime residential use / 10 years commercial use
Sound reduction	EN ISO 717-2		5 dB	7 dB

PURELOC

PURELOC PRO



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

Construction:



1. UV Layer / PU coating
2. Wear Layer
3. Print film
4. A multilayer based on virgin PVC
5. Fiberglass
6. A multilayer based on virgin PVC

70 mm skirting water resistant

2400 x 12 x 70 mm (l x w x h)
Sold per 4 pieces

60 mm skirting MDF

2400 x 14 x 60 mm (l x w x h)
Sold per 4 pieces

T profile* in silver aluminium

2000 x 24 x 4 - 7,5 mm (l x w x h)
Sold per piece

Reducer* in silver aluminium

2000 x 33 x 4-7,5 mm (l x w x h)
Sold per piece

End profile* in silver aluminium

2000 x 20 x 4-7,5 mm (l x w x h)
Sold per piece

VinTec underlay

Designed especially for the installation underneath click vinyl floors.

- With anti-slip, slightly adhesive top surface
- Improves the impact sound
- Very high compression strength
- Corrects unevenness in the floor
- Available in rolls of 10 m²

* Also available in champaign and bronze

Pureloc — CLICK VINYL PLANKS

= 1,213 x 171 x 4mm; = 8 planks = 1,66 m²; = 70 boxes = 116,25 m²

ACCESSORIES	Order quantity	Nepal Grey	Mystic Grey	Summer-Pine	Soft Sand	Desert Oak	Sunset Oak	Autumn Oak	Honey Oak	Natural Teak	Moun-tain Oak	Ginger Oak	Marono Walnut	Ancient Dark	Winter Wood	Rustic Pine	Vintage Oak
SKIRTING 60 mm MDF 60 x 14 x 2400 mm	Per 4 p. = 9,6 m	9320-3036	9320-3034	9320-3039	9320-3038	9320-3024	9320-3041	9320-3020	9320-3027	9320-3035	9320-3033	9320-3025	9320-3031	9320-3019	9320-3044	9320-3037	9320-3042
SKIRTING 70 mm WATERRESISTANT 70 x 12 x 2400 mm	Per 4 p. = 9,6 m	9580-3036	9580-3034	9580-3039	9580-3038	9580-3024	9580-3041	9580-3020	9580-3027	9580-3035	9580-3033	9580-3025	9580-3031	9580-3019	9580-3044	9580-3037	9580-3042

Pureloc — CLICK VINYL TILES

= 603 x 298 x 4mm; = 8 tiles = 1,44 m²; = 78 boxes = 112,20 m²

ACCESSORIES	Order quantity	Limestone Light	Limestone Dark	Concre-te Light	Concre-te Dark
SKIRTING 60 mm MDF 60 x 14 x 2400 mm	Per 4 p. = 9,6 m	9320-3030	9320-3029	9320-3023	9320-3022
SKIRTING 70 mm WATERRESISTANT 70 x 12 x 2400 mm	Per 4 p. = 9,6 m	9580-3030	9580-3029	9580-3023	9580-3022

Pureloc Pro — CLICK VINYL PLANKS

= 1212 x 171 x 5mm; = 8 planks = 1,65 m²; = 55 boxes = 91,00 m²

ACCESSORIES	Order quantity	Washed White	Nepal Grey	Desert Oak	Honey Oak	Hazel-nut	Natural Teak	Century Oak	Lava Oak
SKIRTING 60 mm MDF 60 x 14 x 2400 mm	Per 4 p. = 9,6 m	9320-3043	9320-3036	9320-3024	9320-3027	9320-3026	9320-3035	9320-3021	9320-3028
SKIRTING 70 mm WATERRESISTANT 70 x 12 x 2400 mm	Per 4 p. = 9,6 m	9580-3043	9580-3036	9580-3024	9580-3027	9580-3026	9580-3035	9580-3021	9580-3028

Pureloc Pro — CLICK VINYL TILES

= 602 x 298 x 5mm; = 8 tiles = 1,43 m²; = 60 boxes = 86,10 m²

ACCESSORIES	Order quantity	Metallic	Concrete Dark	Concre-te Light
SKIRTING 60 mm MDF 60 x 14 x 2400 mm	Per 4 p. = 9,6 m	9320-3032	9320-3022	9320-3023
SKIRTING 70 mm WATERRESISTANT 70 x 12 x 2400 mm	Per 4 p. = 9,6 m	9580-3032	9580-3022	9580-3023

UNDERLAYS

	Order quantity
VINTEC NEW 1,6 mm (~11 db)	10 m² / roll
	9300-0007

CLIPS - MDF SKIRTINGS

	Order quantity
SKIRTING CLIPS AND PLUGS	30 clips/bag
	9310-0017

ALUMINIUM PROFILES

	Order quantity	Silver	Bronze	Champagne
REDUCER 2 m 4-7,5 x 33 x 2000 mm	Per piece	9422-3017	9422-3018	9422-3016
T-PROFILE 2 m 4-7,5 x 24 x 2000 mm	Per piece	9412-3017	9412-3018	9412-3016
END PROFILE 2 m NEW 4-7,5 x 20 x 2000 mm	Per piece	9431-3017	9431-3018	9431-3016

BerryAlloc Vinyl Planks

Wherever. Forever.

www.berryalloc.com

Exclusively By:

UTOPIA LIVING

UTOPIA LIVING SINGAPORE PTE LTD
200Turf club Road #07-09/10/11
Singapore 287994

enquiry@utopialiving.biz
www.utopialiving.biz

Beaulieu International Group

Flooring Solutions