

BERRY≡ALLOC®
VINYL PLANKS



PURE

Exclusively By:

UTOPIA
LIVING



Share our
passion

At Beaulieu Flooring Solutions we dream, feel, live and love flooring. More than just making beautiful floors, we create visually pleasing, durable, quick to install and easy to maintain solutions. As the European leader in wall-to-wall flooring, we stand for excellent value for money, continuous innovation as well as a dedicated and personal service. In short, we provide you with the best of the best in a greener and more sustainable way.

Our passion for flooring is reflected in one of our divisions, BerryAlloc. This internationally renowned and highly rated range offers you wonderful laminate for residential and commercial use, wall panels for kitchens and bathrooms and a complete parquet flooring series each with accompanying accessories.

In this brochure we present to you the Vinyl Planks collection (aka LVT - Luxury Vinyl Tiles). Enjoy DreamClick, the new and revolutionary locking system. Or go for GlueDown dryback design flooring. Choose any design you see fit for your home. But most of all be inspired and share our passion.



Beaulieu
International
Group

Flooring
Solutions

www.berryalloc.com

www.beaulieuflooringsolutions.com

Contents

WHY CHOOSE PURE ?

07

- 02 Introduction
- 03 Contents
- 04 Our unique features
- 07 Why choose PURE ?
- 08 Mindsets
- 10 Inspiration

- 40 Installation
- 44 Dimensions
- 46 Decors
- 62 Accessories
- 66 Technical data
- 68 Color overview

STONE DECORS

56

PURE CLICK



40

WOOD DECORS

46

PURE



42

OUR UNIQUE FEATURES



RCB[®]
TECHNOLOGY
RIGID COMPOSITE
BOARD

No levelling floors

When the surface or subfloor is slightly uneven, little or no levelling is required. Thanks to the recently developed RCB technology (Rigid Composite Board), you can just install PURE on top of your old tile floor, with no risk of telegraphing the tile joints. This means more time savings and easier and faster installation!



Water-resistant

Looking for a floor that can stand up to wet and dirty shoes or children who turn your bathroom into a swimming pool? Then a PURE LVT floor is just what you need: it is fully water-resistant, from top to bottom. So feel free to install it anywhere you like!



Acoustic top layer

PURE absorbs noise to the max! The floor gives off a soft sound when you walk on it and like real wood, feels warm and cosy to your feet. Besides, it has a protective polyurethane lacquer. This makes the floor easy to clean and protects it against daily wear and tear.



360° locking system

The DreamClick locking system lets you have your floor up and ready in no time. The unique 360° interlocking profile makes the planks click together on each side: back, front, left or right. You can create any floor pattern you can think of. A versatile and superior solution!



WHY CHOOSE PURE?



Warm underfoot

This floor touches the senses. Not only are our decors a delight to the eye, they also feel warm and cosy to your feet.



Lightweight

The RCB technology makes the board lightweight and stable. No need to drag heavy packs around!



Loc strength

The strong joints give a greater resistance to heavy traffic and rolling loads.



Environmentally friendly

Our floors are 100% recyclable.



9 unique planks

The vinyl floors come in 9 unique planks per design.



Protective PU lacquer

All our floors are hygienic and stain-resistant thanks to the polyurethane lacquer.



Suitable for floor heating

The vinyl floors have a low heat resistance, which make them an ideal match with floor heating.



Easy maintenance

This floor requires very little maintenance. All you need is a wet mop and standard cleaning products.



Dust-free installation

Our floors are simple and fast to install. You need little equipment and installation is dust-free.



No leveling



Made in Belgium

BerryAlloc vinyl planks are developed and produced in Belgium.

The 2015 collection is

1.

Spirit

When it comes to creating comfortable spaces, we like to keep an open mind. That's our nature. No stress. Be yourself. Follow your intuition. Be happy.



2.

Origin

Quit the rat race, slow down and enjoy a moment of peace and quiet. Think local and respect the nature of things. Can you feel the authenticity behind our actions?



inspired by 4 key trends

3.

Future



Embrace the future and dare to innovate. That's our motto. So yes, we're cutting edge and into hightech, as long as it doesn't disturb your comfort zone.



4.

Folk

We're all fascinated by crafts and inspired by art and design. Moreover, we like to share our ideas and make the world a more beautiful and warm place to live in.





TOULON OAK 236L

Your idea of a living room

Nothing beats the feeling of coming home after a hard day's work and relaxing in the warm surroundings of a cosy living room. No one knows this better than Katy and Nathan. That's why they fell for the pleasant feel of vinyl plank flooring.



Nathan (32)

"The click system made it really easy to install this floor!"



WARM FLOOR,
COMFY SPACE,

good feeling

"In our living room we like everything to be calm and cosy. Shoes off, lie on the couch and enjoy. No stress, just relax. To create that atmosphere we picked a warm floor that reflected our lifestyle. The BerryAlloc PURE vinyl plank collection came in a wide variety of designs and colours. There were more than 40 unique and exclusive wood

and tile designs! With such a wide range, from soft to more rustic we had no trouble finding the floor we liked. Today, we enjoy the realistic look of our PURE floor, and its warm wood structure and subtle bevels. Home sweet home!"




TOULON OAK 109S



TOULON OAK 619L





TURN YOUR
HOME INTO A
masterpiece



It's a dream come true

The bedroom is a place to enjoy a good night's sleep. That's why it has to feel comfortable, and sooth all your senses. "Besides, our kids are allergic to dust, so we wanted to be sure the environment was hygienic and easy to clean", says Ann.


"A friend of ours suggested we lay vinyl planks in all the bedrooms. They come in a wide range of designs and colors, and have the right qualities to create a nice and quiet bedroom environment. The special acoustic vinyl top layer provides an ultra-light walking sound and a soft and warm surface. No noise of your children's feet when they're running around. No more cold feet when you have to get out of bed at night. Moreover, the vinyl PUR coating makes the floor easy to clean and ultra hygienic. You just need a little water and a mop. It's really a dream come true!"

Ann [42]

"Vinyl planks feel warm and cosy. So, no more cold feet when you have to get out of bed!"



COLUMBIAN OAK 946M




Sweet dreams



MAKE ROOM FOR
creativity!





LIME OAK 669M

HAVE A *nice* TIME!








WASHED & READY
pure pleasure





LIVING TOGETHER
IN PERFECT
harmony











LIME OAK 974D



LIME OAK 939S



LIME OAK 669M





DISA 797M



LIME OAK 963M



EVERY DAY
IS A *fun* DAY!






LIVING IN
harmony





SILENT NIGHT *sleep tight*









TOULON OAK 109S



Enjoy a kitchen to your taste

Tastes vary and we don't just mean in terms of food. When it comes to interior design different people like different things too. Are you into country or urban styles? Do you prefer something modern or classic? Patricia and Eric had a taste of our collection and were delighted.

"A kitchen floor isn't about style alone. It has to fit into the bigger picture. It needs to be practical, easy to clean and hard-wearing too. The kitchen is the centre of our home and the place where everybody comes together to eat, drink, work and play. Once in a while things get spilt on the floor or someone runs over it in dirty shoes.

That's why we fell for PURE vinyl planks. They are easy to install, available in any design and colour, and maintenance-friendly. All you need is water and a cleaning product to keep the floor in tip-top condition. The pleasant feeling of warmth and silence is a nice bonus."




Patricia (51)

"I like a clean kitchen with a cosy atmosphere. The design and low maintenance of this floor have exceeded my expectations."











DISA 101S



DISA 797M



COLUMBIAN OAK 636M

"Every day our shop attracts plenty of people. Due to the high traffic, the floor needs to be ultra wear resistant. That's why we chose vinyl plank flooring when we renovated the shop last year. They are not only hardwearing, but also easy to install. We only had to close for one day! Two workers installed the floor side by side, without creating huge clouds of dust. There was no mess, we could leave all of our products on the shelves and were ready to re-open in the nick of time!"

THE
right solution
FOR COMMERCIAL FLOORING





COLUMBIAN OAK 636M







A great place
TO WORK




PURE CLICK

A revolutionary click system

A 360° LOCKING SOLUTION

- Super-fast installation: PURE Click is unbeatable for installation thanks to its unique identical interlocking profile on all 4 sides. No need to walk back to the other side of the room to start the next row. Start the installation in either corner of the room and click your way to the other side. You can start the next row where you've finished the previous row.
- Expand your creative thinking and fit any floor pattern you can think of. You can even mix several colours to create a staggering effect.
- Several fitters can work simultaneously on the same floor. You can finish any room in no time at all!
- Thanks to the solid and more Rigid Composite Board (RCB), PURE Click is unaffected by high moisture levels and is extremely stable at normal room temperatures.
- The strong joints give a greater resistance to heavy traffic and rolling loads.
- PURE Click: lifetime warranty for residential use.



- 1 Protective PU lacquer
- 2 Wear layer (0,40/0,55 mm)
- 3 Acoustic vinyl decor layer (with fiberglass)
- 4 Rigid Composite Board (RCB) with DreamClick locking elements

How to click your floor

1



Join the planks by positioning and sliding them towards each other flush with the floor so that the connector tabs start to interlock.

2



To complete the joint, lift the outer edge of one plank upwards to approximately 20°. You don't need to use a hammer to put the planks together.

3



Gently push the planks together to achieve a perfectly tight joint, then lock the joint by lowering the plank back flat onto the floor.

4



Thanks to the four-sided click system, you can lock the planks along either the long or short sides.

5



Join the short side so that the connector tabs start to interlock. Slide the long side into the previously installed row. Lift slightly, click and push down.

PURE

Pure and simple installation

EFFICIENT SYSTEM, CLEAN RESULT

- Thanks to the RCB backing, you need little or no levelling.
- Easy to install: you just need to join and glue down the boards.
- The PURE superior wear layer protects your floor from all the assaults it suffers during a busy day.
- With its thickness of 3,2 mm (GlueDown) or 5 mm (Click), PURE is an excellent solution for renovation.
- PURE is a quiet floor: the vinyl gives soft sound when walked on.
- Our floors are 100% fully recyclable, and so at one with nature.
- The floors have a low heat resistance, which makes them ideal for combining with underfloor heating.
- PURE floors are water-resistant so they are also suitable for bathroom and kitchen.
- Easy to clean with water and standard cleaning products.
- PURE: lifetime warranty for residential use.



- 1 Protective PU lacquer
- 2 Wear layer (0,55 mm)
- 3 Acoustic vinyl decor layer (with fiberglass)
- 4 RCB - Rigid Composite Board

How to glue your floor

1



Use the special BerryAlloc adhesive, a roller and a recipient. Divide the room into smaller sections. Start with the area of the floor where you will install the first planks. Spread the adhesive on the floor.

2




Push the short edges of the planks together whilst holding the already installed plank in place.

3




Gently push the entire plank down. Pull the long side of the plank towards the previously installed row to ensure a perfectly tight joint. Press the planks to ensure good adhesion to the subfloor.

PURE DIMENSIONS




	1326 x 204
Box	8 boards = 2,16 m ²
Pallet	56 boxes = 121,19 m ²
Thickness	5 mm
Wear layer	0,40 / 0,55 mm

	1836 x 204
Box	6 boards = 2,25 m ²
Pallet	56 boxes = 125,85 m ²
Thickness	5 mm
Wear layer	0,40 / 0,55 mm



	612 x 612
Box	6 boards = 2,25 m ²
Pallet	28 boxes = 62,92 m ²
Thickness	5 mm
Wear layer	0,55 mm

	612 x 306
Box	8 boards = 1,50 m ²
Pallet	56 boxes = 83,90 m ²
Thickness	5 mm
Wear layer	0,55 mm




1335 x 213

Box	12 boards = 3,41 m ²
Pallet	56 boxes = 191,09 m ²
Thickness	3,2 mm
Wear layer	0,55 mm


1845 x 213

Box	8 boards = 3,14 m ²
Pallet	56 boxes = 176,06 m ²
Thickness	3,2 mm
Wear layer	0,55 mm



615 x 615

Box	8 tiles = 3,03 m ²
Pallet	28 boxes = 84,72 m ²
Thickness	3,2 mm
Wear layer	0,55 mm



615 x 307,5

Box	12 tiles = 2,27 m ²
Pallet	56 boxes = 127,08 m ²
Thickness	3,2 mm
Wear layer	0,55 mm

PURE WOOD DECORS



COLUMBIAN OAK 261L

■ 40 Click Standard - 60000006

■ 55 Click Standard - 60000099

■ 55 Glue Standard - 60000126



COLUMBIAN OAK 296L

■ 40 Click Standard - 60000007

■ 55 Click Standard - 60000100

■ 55 Glue Standard - 60000127



COLUMBIAN OAK 636M

■ 40 Click Standard - 60000008

■ 40 Click XXL - 60000208

■ 55 Click Standard - 60000101

■ 55 Click XXL - 60000215

■ 55 Glue Standard - 60000128

■ 55 Glue XXL - 60000222



COLUMBIAN OAK 946M

■ 40 Click Standard - 60000010

■ 40 Click XXL - 60000046

■ 55 Click Standard - 60000103

■ 55 Click XXL - 60000058

■ 55 Glue Standard - 60000130

■ 55 Glue XXL - 60000034



COLUMBIAN OAK 226M

■ 40 Click Standard - 60000195

■ 55 Click Standard - 60000197

■ 55 Glue Standard - 60000201



COLUMBIAN OAK 236L

■ 40 Click Standard - 60000204

■ 55 Click Standard - 60000211

■ 55 Glue Standard - 60000218

PURE WOOD DECORS



COLUMBIAN OAK 663D

■ 40 Click Standard - 60000196

■ 55 Click Standard - 60000198

■ 55 Glue Standard - 60000202



COLUMBIAN OAK 693M

■ 40 Click Standard - 60000011

■ 55 Click Standard - 60000104

■ 55 Glue Standard - 60000131

■ 40 Click XXL - 60000047

■ 55 Click XXL - 60000059

■ 55 Glue XXL - 60000035



COLUMBIAN OAK 996E

■ 40 Click Standard - 60000014

■ 55 Click Standard - 60000107

■ 55 Glue Standard - 60000134

■ 40 Click XXL - 60000209

■ 55 Click XXL - 60000216

■ 55 Glue XXL - 60000223



COLUMBIAN OAK 939M

■ 40 Click Standard - 60000012

■ 55 Click Standard - 60000105

■ 55 Glue Standard - 60000132



LIME OAK 139S

■ 40 Click Standard - 60000024

■ 40 Click XXL - 60000053

■ 55 Click Standard - 60000117

■ 55 Click XXL - 60000065

■ 55 Glue Standard - 60000144

■ 55 Glue XXL - 60000041



LIME OAK 939S

■ 40 Click Standard - 60000025

■ 55 Click Standard - 60000118

■ 55 Glue Standard - 60000145

PURE WOOD DECORS



LIME OAK 979M

■ 40 Click Standard - 60000030
■ 40 Click XXL - 60000056

■ 55 Click Standard - 60000123
■ 55 Click XXL - 60000068

■ 55 Glue Standard - 60000150
■ 55 Glue XXL - 60000044



LIME OAK 963M

■ 40 Click Standard - 60000026
■ 40 Click XXL - 60000055

■ 55 Click Standard - 60000119
■ 55 Click XXL - 60000067

■ 55 Glue Standard - 60000146
■ 55 Glue XXL - 60000043



LIME OAK 669M

■ 40 Click Standard - 60000028

■ 55 Click Standard - 60000121

■ 55 Glue Standard - 60000148



LIME OAK 693M

■ 40 Click Standard - 60000029

■ 55 Click Standard - 60000122

■ 55 Glue Standard - 60000149



LIME OAK 623M

■ 40 Click Standard - 60000205

■ 55 Click Standard - 60000212

■ 55 Glue Standard - 60000219



LIME OAK 974D

■ 40 Click Standard - 60000206

■ 55 Click Standard - 60000213

■ 55 Glue Standard - 60000220

PURE WOOD DECORS



LIME OAK 966D

■ 40 Click Standard - 60000032

■ 55 Click Standard - 60000125

■ 55 Glue Standard - 60000152



LIME OAK 954D

■ 40 Click Standard - 60000199

■ 40 Click XXL - 60000210

■ 55 Click Standard - 60000200

■ 55 Click XXL - 60000217

■ 55 Glue Standard - 60000203

■ 55 Glue XXL - 60000224



LIME OAK 996D

■ 40 Click Standard - 60000031

■ 55 Click Standard - 60000124

■ 55 Glue Standard - 60000151



TOULON OAK 109S

■ 40 Click Standard - 60000015
■ 40 Click XXL - 60000049

■ 55 Click Standard - 60000108
■ 55 Click XXL - 60000061

■ 55 Glue Standard - 60000135
■ 55 Glue XXL - 60000037



TOULON OAK 936L

■ 40 Click Standard - 60000018
■ 40 Click XXL - 60000051

■ 55 Click Standard - 60000111
■ 55 Click XXL - 60000063

■ 55 Glue Standard - 60000138
■ 55 Glue XXL - 60000039



TOULON OAK 976M

■ 40 Click Standard - 60000019

■ 55 Click Standard - 60000112

■ 55 Glue Standard - 60000139

PURE WOOD DECORS



TOULON OAK 619L

■ 40 Click Standard - 60000017

■ 40 Click XXL - 60000050

■ 55 Click Standard - 60000110

■ 55 Click XXL - 60000062

■ 55 Glue Standard - 60000137

■ 55 Glue XXL - 60000038



TOULON OAK 236L

■ 40 Click Standard - 60000020

■ 55 Click Standard - 60000113

■ 55 Glue Standard - 60000140



TOULON OAK 293M

■ 40 Click Standard - 60000021

■ 40 Click XXL - 60000052

■ 55 Click Standard - 60000114

■ 55 Click XXL - 60000064

■ 55 Glue Standard - 60000141

■ 55 Glue XXL - 60000040



TOULON OAK 999D

■ 40 Click Standard - 60000023

■ 55 Click Standard - 60000116

■ 55 Glue Standard - 60000143

PURE STONE DECORS



DISA 101S

■ 55 Click 612x612 - 60000073
■ 55 Click 612x306 - 60000088

■ 55 Glue 615x615 - 60000157
■ 55 Glue 615x307,5 - 60000172



DISA 644M

■ 55 Click 612x612 - 60000074
■ 55 Click 612x306 - 60000089

■ 55 Glue 615x615 - 60000158
■ 55 Glue 615x307,5 - 60000173



DISA 979M

■ 55 Click 612x612 - 60000075
■ 55 Click 612x306 - 60000090

■ 55 Glue 615x615 - 60000159
■ 55 Glue 615x307,5 - 60000174



DISA 797M

■ 55 Click 612x612 - 60000076
■ 55 Click 612x306 - 60000091

■ 55 Glue 615x615 - 60000160
■ 55 Glue 615x307,5 - 60000175



DISA 996D


■ 55 Click 612x612 - 60000077

■ 55 Click 612x306 - 60000092

■ 55 Glue 615x615 - 60000161

■ 55 Glue 615x307,5 - 60000176

PURE STONE DECORS



MONSANTO 363L

■ 55 Click 612x612 - 60000078
■ 55 Click 612x306 - 60000093

■ 55 Glue 615x615 - 60000162
■ 55 Glue 615x307,5 - 60000177



MONSANTO 639M

■ 55 Click 612x612 - 60000079
■ 55 Click 612x306 - 60000094

■ 55 Glue 615x615 - 60000163
■ 55 Glue 615x307,5 - 60000178



MONSANTO 694M

■ 55 Click 612x612 - 60000080
■ 55 Click 612x306 - 60000095

■ 55 Glue 615x615 - 60000164
■ 55 Glue 615x307,5 - 60000179



MONSANTO 959M

■ 55 Click 612x612 - 60000081
■ 55 Click 612x306 - 60000096

■ 55 Glue 615x615 - 60000165
■ 55 Glue 615x307,5 - 60000180



MONSANTO 997M

- 55 Click 612x612 - 60000082
- 55 Click 612x306 - 60000097

- 55 Glue 615x615 - 60000166
- 55 Glue 615x307,5 - 60000181



MONSANTO 900D

- 55 Click 612x612 - 60000083
- 55 Click 612x306 - 60000098

- 55 Glue 615x615 - 60000167
- 55 Glue 615x307,5 - 60000182

PURE STONE DECORS



ZINC 616M

■ 55 Click 612x612 - 60000069
■ 55 Click 612x306 - 60000084

■ 55 Glue 615x615 - 60000153
■ 55 Glue 615x307,5 - 60000168



ZINC 679M

■ 55 Click 612x612 - 60000070
■ 55 Click 612x306 - 60000085

■ 55 Glue 615x615 - 60000154
■ 55 Glue 615x307,5 - 60000169



ZINC 373D

■ 55 Click 612x612 - 60000071
■ 55 Click 612x306 - 60000086

■ 55 Glue 615x615 - 60000155
■ 55 Glue 615x307,5 - 60000170



ZINC 907D

■ 55 Click 612x612 - 60000072
■ 55 Click 612x306 - 60000087

■ 55 Glue 615x615 - 60000156
■ 55 Glue 615x307,5 - 60000171



PURE ACCESSORIES

SKIRTINGS

60 MM MDF SKIRTING



2400 x 12 x 60 mm (l x w x h)
Sold in packs of 4

60 MM WATER-RESISTANT SKIRTING



2400 x 12 x 60 mm (l x w x h)
Sold in packs of 4

CLIPS FOR SKIRTING



30 clips per bag

GLUEDOWN ACCESSORIES

UNDER CONSTRUCTION

We are currently developing a new range of exclusive GlueDown accessories. Check www.berryalloc.com for the latest updates.

MAINTENANCE

We are currently developing our 3 maintenance products. Check www.berryalloc.com for the latest updates.

UNDER CONSTRUCTION

UNDER CONSTRUCTION

UNDER CONSTRUCTION

UNDERLAYS



DREAMTEC+

- improves transition sound (to the room below) [-20 dB]
- improves the walking sound ***
- highly suitable for use with underfloor heating
- very high compressive strength
- corrects irregularities in the floor
- integrated moisture barrier
- easy to install: folds out flat straight away
- available in boxes of 10 m²

PROFILES

3-IN-1 MULTIPROFILE MDF



T-profile

2000 x 10 x 34 (l x w x h)

Sold individually



Reducer profile



End profile

ALU PROFILES

T-PROFILE ALU SILVER*



2000 x 30 x 4-7,5 mm (l x w x h)

Sold individually

*also available in bronze and champaign color

REDUCER PROFILE ALU SILVER*



2000 x 40 x 4-7,5 mm (l x w x h)

Sold individually





END PROFILE ALU SILVER*










2000 x 25 x 4-7,5 mm (l x w x h)

Sold individually

PURE ACCESSORIES

PURE PLANKS			CLICK 				GLUE DOWN 		ACCESSORIES				
			Collection:	PURE Click 40	PURE Click 40 XXL	PURE Click 55	PURE Click 55 XXL	PURE 55	PURE 55 XXL	60 mm skirting water-resistant 60 x 12 x 2400 Per pack (4 pcs)	MDF 60 mm skirting 60 x 12 x 2400 Per pack (4 pcs)	3-in-1 MDF profile 34 x 10 x 2000 Per piece	
				Dimensions:	1326 x 204	1836 x 204	1326 x 204	1836 x 204	1335 x 213	1845 x 213			
				Order quantity:	Per 8 pcs = 2,16 m²	Per 6 pcs = 2,25 m²	Per 8 pcs = 2,16 m²	Per 6 pcs = 2,25 m²	Per 12 pcs = 3,41 m²	Per 8 pcs = 3,14 m²			
Pallet:	56 boxes = 121,19 m²	56 boxes = 125,85 m²	56 boxes = 121,19 m²	56 boxes = 125,85 m²	56 boxes = 191,09 m²	56 boxes = 176,06 m²							
1	Columbian Oak 261L		60000006	-	60000099	-	60000126	-	63000353	63000311	63000437		
2	Columbian Oak 296L		60000007	-	60000100	-	60000127	-	63000354	63000312	63000438		
3	Columbian Oak 636M		60000008	60000208	60000101	60000215	60000128	60000222	63000355	63000313	63000439		
4	Columbian Oak 946M		60000010	60000046	60000103	60000058	60000130	60000034	63000357	63000315	63000441		
5	Columbian Oak 226M		60000195	-	60000197	-	60000201	-	63000546	63000543	63000550		
6	Columbian Oak 236L		60000204	-	60000211	-	60000218	-	63000563	63000560	63000567		
7	Columbian Oak 693M		60000011	60000047	60000104	60000059	60000131	60000035	63000358	63000316	63000442		
8	Columbian Oak 939M		60000012	-	60000105	-	60000132	-	63000359	63000317	63000443		
9	Columbian Oak 663D		60000196	-	60000198	-	60000202	-	63000547	63000544	63000551		
10	Columbian Oak 996E		60000014	60000209	60000107	60000216	60000134	60000223	63000361	63000319	63000445		
11	Toulon Oak 109S		60000015	60000049	60000108	60000061	60000135	60000037	63000362	63000320	63000446		
12	Toulon Oak 619L		60000017	60000050	60000110	60000062	60000137	60000038	63000364	63000322	63000448		
13	Toulon Oak 936L		60000018	60000051	60000111	60000063	60000138	60000039	63000365	63000323	63000449		
14	Toulon Oak 976M		60000019	-	60000112	-	60000139	-	63000366	63000324	63000450		
15	Toulon Oak 236L		60000020	-	60000113	-	60000140	-	63000367	63000325	63000451		
16	Toulon Oak 293M		60000021	60000052	60000114	60000064	60000141	60000040	63000368	63000326	63000452		
17	Toulon Oak 999D		60000023	-	60000116	-	60000143	-	63000370	63000328	63000454		
18	Lime Oak 139S		60000024	60000053	60000117	60000065	60000144	60000041	63000371	63000329	63000455		
19	Lime Oak 939S		60000025	-	60000118	-	60000145	-	63000372	63000330	63000456		
20	Lime Oak 963M		60000026	60000055	60000119	60000067	60000146	60000043	63000373	63000331	63000457		
21	Lime Oak 669M		60000028	-	60000121	-	60000148	-	63000375	63000333	63000459		
22	Lime Oak 693M		60000029	-	60000122	-	60000149	-	63000376	63000334	63000460		
23	Lime Oak 623M		60000205	-	60000212	-	60000219	-	63000564	63000561	63000568		
24	Lime Oak 979M		60000030	60000056	60000123	60000068	60000150	60000044	63000377	63000335	63000461		
25	Lime Oak 974D		60000206	-	60000213	-	60000220	-	63000565	63000562	63000569		
26	Lime Oak 954D		60000199	60000210	60000200	60000217	60000203	60000224	63000545	63000541	63000548		
27	Lime Oak 966D		60000032	-	60000125	-	60000152	-	63000379	63000337	63000463		
28	Lime Oak 996D		60000031	-	60000124	-	60000151	-	63000378	63000336	63000462		

PURE TILES		Collection:	CLICK 		GLUE DOWN 		ACCESSORIES			
Dimensions:		Order quantity:	Pallet:	PURE Click 55	PURE Click 55	PURE 55	PURE 55	60 mm skirting water-resistant 60 x 12 x 2400 Per pack (4 pcs)	MDF 60 mm skirting 60 x 12 x 2400 Per pack (4 pcs)	3-in-1 MDF profile 34 x 10 x 2000 Per piece
				612 x 612 Per 6 pcs = 2,25 m ² 28 boxes = 62,92 m ²	612 x 306 Per 8 pcs = 1,50 m ² 56 boxes = 83,90 m ²	615 x 615 Per 8 pcs = 3,03 m ² 28 boxes = 84,72 m ²	615 x 307,5 Per 12 pcs = 2,27 m ² 56 boxes = 127,08 m ²			
Zinc 616M				60000069	60000084	60000153	60000168	63000338	63000296	63000422
Zinc 679M				60000070	60000085	60000154	60000169	63000339	63000297	63000423
Zinc 373D				60000071	60000086	60000155	60000170	63000340	63000298	63000424
Zinc 907D				60000072	60000087	60000156	60000171	63000341	63000299	63000425
Disa 101S				60000073	60000088	60000157	60000172	63000342	63000300	63000426
Disa 644M				60000074	60000089	60000158	60000173	63000343	63000301	63000427
Disa 979M				60000075	60000090	60000159	60000174	63000344	63000302	63000428
Disa 797M				60000076	60000091	60000160	60000175	63000345	63000303	63000429
Disa 996D				60000077	60000092	60000161	60000176	63000346	63000304	63000430
Monsanto 363L				60000078	60000093	60000162	60000177	63000347	63000305	63000431
Monsanto 639M				60000079	60000094	60000163	60000178	63000348	63000306	63000432
Monsanto 694M				60000080	60000095	60000164	60000179	63000349	63000307	63000433
Monsanto 959M				60000081	60000096	60000165	60000180	63000350	63000308	63000434
Monsanto 997M				60000082	60000097	60000166	60000181	63000351	63000309	63000435
Monsanto 900D				60000083	60000098	60000167	60000182	63000352	63000310	63000436

UNDERLAYS (PURECLICK)		Order quantity	
DREAMTEC+ (20 DB - 1,5 MM)		10 m ² / box	63000027

CLIPS - MDF SKIRTING		Order quantity	
SKIRTING CLIPS AND PLUGS		Sold per bag (30 clips/bag)	9310-0017

ALUMINIUM PROFILES (PURECLICK)		Order qty	Silver	Champ.	Bronze
REDUCER 2 m 4-7,5 x 40 x 2000 mm		Per piece	63000573	63000574	63000575
T-PROFILE 2 m 4-7,5 x 30 x 2000 mm		Per piece	63000576	63000577	63000578
END PROFILE 2 m 4-7,5 x 25 x 2000 mm		Per piece	63000579	63000580	63000581

PURE TECHNICAL DATA

Board: 1326 x 204 mm – Box: 8 boards (= 2,16 m²) – Pallet: 56 boxes (= 121,19 m²)

Board XXL: 1836 x 204 mm – Box: 6 boards (= 2,25 m²) – Pallet: 56 boxes (= 125,85 m²)

Tile: 612 x 612 mm – Box: 6 tiles (= 2,25 m²) – Pallet: 28 boxes (= 62,92 m²)

Tile: 612 x 306 mm – Box: 8 tiles (= 1,50 m²) – Pallet: 56 boxes (= 83,90 m²)



PRODUCT SPECIFICATION		CLICK 40	CLICK 55
Total thickness	EN 428	5 mm	5 mm
Wear layer	EN 429	0,40	0,55
Total weight	EN 430	5,4 kg/ m ²	5,4 kg/ m ²
Surface treatment		PUR	PUR
Usage classification	EN 685	23-32	23-33
TEST RESULTS			
Underfloor heating	EN 12524	suitable max. 27° (80°F)	suitable max. 27° (80°F)
Castor chair	EN 425	pass	pass
Fire resistance	EN 13501-1	Bfl-s1	Bfl-s1
Chemical resistance	EN 423	OK	OK
Residual indentation	EN 433	< 0,10 mm	< 0,10 mm
Slip resistance	DIN 51130 EN 13983	R10 class DS	R10 class DS
Sound reduction: Impact Sound	EN ISO 717-2 (Δ Lw)	16 dB	16 dB
Reflected Walking Sound	EPLF draft 021029-5 F1	*** (9,7 sone)	*** (9,7 sone)
Light fastness	ISO 105-B02	> 6	> 6
Dimensional stability	EN 434	<0,25%	<0,25%
Antistatic	EN 1815	yes	yes
Residential warranty		Lifetime	Lifetime
Commercial warranty		-	10 years
Formaldehyde	EN 717-1	E1	E1



Board: 1335 x 213 mm – Box: 12 boards (= 3,41 m²) – Pallet: 56 boxes (= 191,09 m²)
 Board XXL: 1845 x 213 mm – Box: 8 boards (= 3,14 m²) – Pallet: 56 boxes (= 176,06 m²)
 Tile: 615 x 615 mm – Box: 8 tiles (= 3,03 m²) – Pallet: 28 boxes (= 84,72 m²)
 Tiles: 615 x 307,5 mm – Box: 12 tiles (= 2,27 m²) – Pallet: 56 boxes (= 127,08 m²)



PRODUCT SPECIFICATION		55
Total thickness	EN 428	3,20 mm
Wear layer	EN 429	0,55 mm
Total weight	EN 430	3,6 kg / m ²
Surface treatment		PUR
Usage classification	EN 685	23 - 33
TEST RESULTS		
Underfloor heating	EN 12524	Suitable - max. 27°
Castor chair	EN 425	Pass
Fire resistance	EN 13501-1	Bfl - s1
Chemical resistance	EN 423	OK
Residual indentation	EN 433	< 0,10 mm
Slip resistance	DIN 51130 EN 13893	R10 Class DS
Sound reduction: Impact Sound	EN ISO 717-2 (Δ L _w)	16 dB
Reflected Walking Sound	EN ISO 717-2 (Δ L _w)	*** (9,7 sone)
Light fastness	ISO 105-B02	> 6
Dimensional stability	EN 434	≤ 0,15%
Antistatic		Yes
Residential warranty		Lifetime
Commercial warranty		10 years
Formaldehyde	EN 717-1	E1



PURE WOOD OVERVIEW



Columbian Oak 261L



Columbian Oak 296L



Columbian Oak 636M



Columbian Oak 946M



Columbian Oak 226M



Columbian Oak 236L



Columbian Oak 663D



Columbian Oak 693M



Columbian Oak 939M



Columbian Oak 996E



Lime Oak 139S



Lime Oak 939S



Lime Oak 963M



Lime Oak 669M



Lime Oak 693M



Lime Oak 623M



Lime Oak 974D



Lime Oak 966D



Lime Oak 954D



Lime Oak 979M



Lime Oak 996D



Toulon Oak 109S



Toulon Oak 936L



Toulon Oak 976M



Toulon Oak 236L



Toulon Oak 619L



Toulon Oak 293M



Toulon Oak 999D



COLUMBIAN OAK 261L

PURE STONE OVERVIEW



Disa 101S



Disa 644M



Disa 979M



Monsanto 363L



Monsanto 639M



Monsanto 694M



Zinc 616M



Zinc 679M



Zinc 373D



Disa 797M



Disa 996D



Monsanto 959M



Monsanto 997M



Monsanto 900D



Zinc 907D

BERRYALLOC®

LAMINATE ■ PARQUET ■ WALLS ■ VINYL PLANKS



Exclusively By:

UTOPIA LIVING

UTOPIA LIVING SINGAPORE PTE LTD
200 Turf Club Road #07-09/10/11
Singapore 287994

enquiry@utopialiving.biz
www.utopialiving.biz



Beaulieu
International
Group

Flooring
Solutions