



TUNTEX Vol.2

Exclusively By:

UTOPIA
L I V I N G



FASHIONABLE
ENVIRONMENTALLY FRIENDLY

TUNTEX

Creative idea Innovative design

TUNTEX always pursues creativity. Our products are inspired by the environment, style and quality.

GREEN Environmentally Friendly

As the First commercial carpet producer to award U.S. Green Label Plus certificate in China, environmental protection is always our priority during development and manufacturing.

HISTORY

Established in Taiwan in 1969, starting to be an international supplier since then.

COMMITMENT

Using top quality materials, assure all products can meet with international standards.

DESIGN

Innovative, fashionable designs are released every 6 months.

CONTENTS





Fashionable Environmentally Friendly Carpet Tile

NYLON SERIES


31	T600	On-track
35	T602	Grapevine
37	T603	Sunset Boulevard
39	T605	Vision
41	T606	Illusion
43	T608	Urban Forest
45	T612	Focus
47	T613	Birdie
49	T616	Fast Lane
51	T617	Criss-cross
53	T618G	Rhapsody
57	T619G	Timeless
59	T620	Vane
61	T621	Shallow
63	T622	Impression
65	T623	Pathway
67	T625	The Building Blocks
69	T626G	Silhouettes
73	T627G	Carnival
75	T630G	Charisma
77	T631G	Entwine
79	T632G	Touch Down
81	T638	Ground Builder
83	T639G	Luxury Footprint

87	T860	Checkmate
89	T862	Destination
91	T865G	Over the Rainbow
95	T866G	Cheer-up
97	T867G	Visual Art
99	T868G	Oriental Express
103	T869G	Cloud Nine
105	T870G	Cubical Vol.2
107	T872	Summer Breeze
109	T875G	Natural Connection
111	T876G	Herringbone
113	T877G	Fontainebleau
115	T885	Edd Tide
119	T886	Metro Campus
121	T887	DownTown Alley
125	T889	Grainfield
127	T906	Network
129	T908	Runway
131	T917	WillowWeave
133	T962	Sandstone
137	TA1204	Line Up
139	TA1206	Highlights
141	TA1207	Fragment

QUICK OVERVIEW

NYLON SERIES												
												
On-track T600 Page 31-32	Grapevine T602 Page 35-36	Sunset Boulevard T603 Page 37-38	Vision T605 Page 39-40	Illusion T606 Page 41-42	Urban Forest T608 Page 43-44		Checkmate T860 Page 87-88	Destination T862 Page 89-90	Over the Rainbow T865G Page 91-92	Cheer-up T866G Page 95-96	Visual Art T867G Page 97-98	Oriental Express T868G Page 99-100
												
Focus T612 Page 45-46	Birdie T613 Page 47-48	Fast Lane T616 Page 49-50	Criss-cross T617 Page 51-52	Rhapsody T618G Page 53-54	Timeless T619G Page 57-58		Cloud Nine T869G Page 103-104	Cubical Vol.2 T870G Page 105-106	Summer Breeze T872 Page 107-108	Natural Connection T875G Page 109-110	Herringbone T876G Page 111-112	Fontainebleau T877G Page 113-114
												
Vane T620 Page 59-60	Shallow T621 Page 61-62	Impression T622 Page 63-64	Pathway T623 Page 65-66	The Building Blocks T625 Page 67-68	Silhouettes T626G Page 69-70		Edd Tide T885 Page 115-116	Metro Campus T886 Page 119-120	DownTown Alley T887 Page 121-122	Grainfield T889 Page 125-126	Network T906 Page 127-128	Runway T908 Page 129-130
												
Carnival T627G Page 73-74	Charisma T630G Page 75-76	Entwine T631G Page 77-78	Touch Down T632G Page 79-80	Ground Builder T638 Page 81-82	Luxury Footprint T639G Page 83-84		WillowWeave T917 Page 131-132	Sandstone T962 Page 133-134	Line Up TA1204 Page 137-138	Highlights TA1206 Page 139-140	Fragment TA1207 Page 141-142	

PROJECTS



Terranum Head Quarters-Bogotá, Colombia **T600** ▶ Page 31-32



Terranum Head Quarters-Bogotá, Colombia **T600** ▶ Page 31-32



Richemont Asia Pacific
T605 ▶ Page 39-40
T623 ▶ Page 65-66




Johnson Control **T870G** ▶ Page 105-106



Symphony Teleca **T600** ▶ Page 31-32



Symphony Teleca **TA1206** ▶ Page 139-140



Johnson Control **T870G** ▶ Page 105-106
T962 ▶ Page 133-134



AngloAmerican **T605** ▶ Page 39-40

PROJECTS



Across Office Solution

T621 ▶ Page 61-62
TA1206 ▶ Page 139-140



DELL Chengdu Global Operation Center

T862 ▶ Page 89-90



DELL Chengdu Global Operation Center

T887 ▶ Page 121-122



DELL RHQ

T621 ▶ Page 61-62



Administration of Quality and Technology
Supervision of Guangdong Province

T917 ▶ Page 131-132




C&A (China) Co.,Ltd

T606 ▶ Page 41-42



DELL (China) Co.,Ltd.

T602 ▶ Page 35-36



DELL (Xiamen)

T962 ▶ Page 133-134

PROJECTS




Conde Nast

T605 ▶ Page 39-40




Beijing Snsoft Technology Co.,Ltd.

T885 ▶ Page 115-116




Aodihua Furniture Industrial Co. Ltd.

TA1206 ▶ Page 139-140



ASPIre Technologies

T962 ▶ Page 133-134



Sanofi China

TA1206 ▶ Page 139-140



Synaptic Medical

T889 ▶ Page 125-126



National Software Industry Base (Chengdu)



T600 ▶ Page 31-32



K&L Microwave

T600 ▶ Page 31-32

PROJECTS



PROJECTS



Office Express (Winland International) Business Center **T885** ▶ Page 115-116




ULTRAONE (Guangzhou) **TA1206** ▶ Page 139-140




Roche **T600** ▶ Page 31-32



Fast Retailing **T616** ▶ Page 49-50



Hong Kong University **TA1204** ▶ Page 137-138



Wall Street English **T962** ▶ Page 133-134



MediaTek (Beijing) Inc **T860** ▶ Page 87-88



Hong Kong University **T887** ▶ Page 121-122

PROJECTS



Suning Appliance of China

TA1204 ▶ Page 137-138



Suning Appliance of China

T917 ▶ Page 131-132



Zynga Inc

T962 ▶ Page 133-134



China Jingu International Trust Co., Ltd. **T605** ▶ Page 39-40



Outback Steakhouse

T612 ▶ Page 45-46



360 Beijing Qihoo Technology Co., Ltd.

T885 ▶ Page 115-116
TA1206 ▶ Page 139-140




LENOVO

T868G ▶ Page 99-100
TA1206 ▶ Page 139-140



Air Products and Chemicals, Inc. **T616** ▶ Page 49-50

PROJECTS



PROJECTS



China Huadian Corporation

T600 ▶ Page 31-32



EVOC Intelligent Technology Company Limited

TA1204 ▶ Page 137-138



HSBC

T868G ▶ Page 99-100



Johnsonsbaby Company

T606 ▶ Page 41-42



China Investment Development Co., Ltd

T613 ▶ Page 47-48




China Automobile Trading Co.,Ltd

T860 ▶ Page 87-88



Globevisa



T870G ▶ Page 105-106



Jaguar Group

T602 ▶ Page 35-36

PROJECTS



PROJECTS



Aruba Networks Technology (China) Co., Ltd **T906** ▶ Page 127-128



Downtown Properties, China **T602** ▶ Page 35-36




Uncommon District Center **T962** ▶ Page 133-134



Cisco Systems, Inc. **T868G** ▶ Page 99-100



Pera Global **T870G** ▶ Page 105-106



Downtown Properties, China **T602** ▶ Page 35-36
T603 ▶ Page 37-38



Uncommon District Center **T600** ▶ Page 31-32



Lenovo Building (Shanghai) **T603** ▶ Page 37-38

PROJECTS



Starwood Hotels and Resorts

T600 ▶ Page 31-32




2010 Shanghai World Expo

T868G ▶ Page 99-100



Brown Brothers Harriman & Co., Ltd

T600 ▶ Page 31-32



Servier

T600 ▶ Page 31-32



China Petroleum & Chemical Co., Ltd

T886 ▶ Page 119-120



Synopsys

TA1204 ▶ Page 137-138



China Comservice

T906 ▶ Page 127-128



Renault S.A.

T600 ▶ Page 31-32

Put magnificent texture and classical art breath together, pay more attention to specific quality and pursue the model of great elegance.



NYLON SERIES

STYLISH

Environmentally
Friendly
Carpet Tile



The mystery of life is inside of art. —Oscar Wilde

T600


On-track



Colourways



Product Name : T600 On-track
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 4.0/3.5 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


Running **Water**





Art is the mirror of life. —Toncto

T602 Grapevine



Colourways



T6021



T6022



T6023



T6024




T6025




T6026

Product Name : T602 Grapevine
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : High Cut Low Loop
Pile Height : 7.0/3.5 mm
Tile Size : 609 mm x 609 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



Brick

T6025

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Ravine




T603 Sunset Boulevard

Colourways



Product Name : T603 Sunset Boulevard
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : High Cut Low Loop
Pile Height : 7.0/3.5 mm
Tile Size : 609 mm x 609 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy





T6054

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Light makes the design. —I. M. Pei

T605 Vision



Colourways



T6051



T6052



T6053



T6054



T6055



T6056

Product Name : T605 Vision

Face Yarn : nexlon™ Premium Solution Dyed Nylon

Dye Method : Solution Dyed

Construction : High Cut Low Loop

Pile Height : 7.5/4.0 mm

Tile Size : 609 mm x 609 mm

Indoor Air Quality : U.S. CRI Green Lable Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn



Brick



T6062

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


T606 Illusion

Colourways



Original Ecology

Product Name : T606 Illusion
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : High Cut Low Loop
Pile Height : 7.5/4.0 mm
Tile Size : 609 mm x 609 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy






T608

Urban Forest

Colourways



Product Name : T608 Urban Forest
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : High Cut Low Loop in 2 Level
Pile Height : 7.5 / 7.0 / 3.5 mm
Tile Size : 609 mm x 609 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


Fertile Farmland



Product Name : T612 Focus
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop
Pile Height : 5.0/4.5/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy

T612 Focus

Colourways





T6132

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T613 Birdie



Colourways



T6131



T6132




T6133




T6134

Product Name : T613 Birdie
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop
Pile Height : 5.0/4.0/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn




Brick

Speed



T616 Fast Lane

Colourways



The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T6161+T6162

Product Name : T616 Fast Lane

Face Yarn : nexlon™ Premium Solution Dyed Nylon

Dye Method : Solution Dyed

Construction : Hi/Mi/Lo Loop

Pile Height : 4.0/3.5/3.0 mm

Tile Size : 500 mm x 500 mm

Indoor Air Quality : U.S. CRI Green Lable Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09

Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn

Brick

T617

Criss-cross



Colourways



T6171



T6172



T6173



T6174



T6175



T6176

Product Name : T617 Criss-cross

Face Yarn : nexlon™ Premium Solution Dyed Nylon

Dye Method : Solution Dyed

Construction : Hi/Mi/Lo Loop

Pile Height : 6.0/4.5/3.0 mm

Tile Size : 500 mm x 500 mm

Indoor Air Quality : U.S. CRI Green Lable Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn



Brick

T6172+T6173

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T6181G

T618G

Rhapsody



Colourways



T6181G



T6182G



T6183G



T6184G




T6185G




T6186G

Product Name : T618G Rhapsody
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 5.0/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-08)
Standard Backing : Recycled TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



Brick

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T6191G+T6194G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


■ Colourways




Product Name : T619G Timeless
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 5.0/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recycled TUNTEX Commercial Duraback
Foot Traffic : Heavy

T619G

Timeless



1/4 turn



Brick

Magic Cube





T6205

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T620


Vane



Colourways



Product Name : T620 Vane
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop with Tip-shear Finish
Pile Height : 5.0/4.0/2.5 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy





T6216+TA1206

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T621 Shallow



Colourways



T6211



T6212



T6213



T6214



T6215



T6216




T6217




T6218

Product Name : T621 Shallow
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop with Tip-shear Finish
Pile Height : 5.0/4.0/2.5 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



Brick




T622


Impression



Colourways



Product Name : T622 Impression
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop with Tip-shear Finish
Pile Height : 5.0/4.0/2.5 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



T6222

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T6233

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


T623 Pathway




Colourways



Product Name : T623 Pathway
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Loop with Tip-shear Finish
Pile Height : 3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



Brick




T6254

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


T625

The Building Blocks

Colourways



Product Name : T625 The Building Blocks
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop with Tip-shear Finish
Pile Height : 6.5/4.5/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy





T6269G+TA12067

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T626G

Silhouettes



Colourways



T6261G



T6262G



T6263G



T6264G



T6265G



T6266G



T6267G




T6268G




T6269G

Product Name : T626G Silhouettes
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Lo Loop with Tip-shear Finish
Pile Height : 4.5/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recycled TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



Brick




T6271G+TA12065
+TA12066+TA12067


The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T627G Carnival

Colourways



Product Name : T627G Carnival
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Lo Loop with Tip-shear Finish
Pile Height : 5.5/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recycled TUNTEX Commercial Duraback
Foot Traffic : Heavy





Inverted Image





T6302G+TA12062+TA12065

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T630G


Charisma



Colourways

T6301G	T6302G	T6303G	T6304G
T6305G	T6306G	T6307G	T6308G

Product Name : T630G Charisma
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 5.0/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recycled TUNTEX Commercial Duraback
Foot Traffic : Heavy





T6311G+T6312G+T6313G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T631G

Entwine



Colourways



T6311G



T6312G



T6313G



T6314G



T6315G



T6316G



T6317G



T6318G

Product Name : T631G Entwine

Face Yarn : nexlon™ Premium Solution Dyed Nylon

Dye Method : Solution Dyed

Construction : Hi/Lo Loop

Pile Height : 5.0/3.0 mm

Tile Size : 500 mm × 500 mm

Indoor Air Quality : U.S. CRI Green Lable Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recycled TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn



Brick



T6322G+T6327G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T632G


Touch Down



Colourways

			
T6321G	T6322G	T6323G	T6324G
			
T6325G	T6326G	T6327G	T6328G

Product Name : T632G Touch Down
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 5.0/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recycled TUNTEX Commercial Duraback
Foot Traffic : Heavy





T638

Ground Builder



Colourways



T6381



T6382



T6383



T6384



T6385



T6386




T6387




T6388

Product Name : T638 Ground Builder
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Loop
Pile Height : 3.5 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



Brick

T6383+T6387

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.




T6391G+T6392G+T6393G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T639G

Luxury Footprint



Colourways



T6391G



T6392G



T6393G



T6394G



T6395G




T6396G




T6397G

Product Name : T639G Luxury Footprint
Face Yarn : nexlon™ Premium Solution Dyed Nylon
Dye Method : Solution Dyed
Construction : Level cut pile
Pile Height : 10.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recycled TUNTEX Commercial Duraback
Foot Traffic : Heavy
ecoFRESH™ Freshens the Air
Micro Shield™ Anti-Microbial



1/4 turn



Brick

Rain
Moisten





Expressing the nature is the beauty of art. —Spencer Churchill

T860 Checkmate



Colourways



T8601



T8602



T8603



T8604



T8605



T8606

Product Name : T860 Checkmate

Face Yarn : Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method : Solution Dyed

Construction : Hi/Mi/Lo Loop

Pile Height : 6.5/4.0/3.0 mm

Tile Size : 500 mm x 500 mm

Soil/Stain Protection : DuraTech® Soil Resistance Treatment

Indoor Air Quality : U.S. CRI Green Lable Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn



Brick

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Smooth




T862
Destination

Colourways



Product Name : T862 Destination
Face Yarn : Antron® Lumena™ Solution Dyed Type 6, 6 Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop
Pile Height : 5.5/4.5/3.0 mm
Tile Size : 609 mm x 609 mm
Soil/Stain Protection : DuraTech® Soil Resistance Treatment
Indoor Air Quality : U.S. CRI Green Label Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T8626




T8651G+T8655G+T8657G+T8659G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Architecture is the spirit of place. —Norberg Schultz

T865G

Over the Rainbow



Colourways



T8651G

■ irregular color lines immersed



T8659G



T8652G



T8653G

■ irregular color lines immersed



T8657G



T8658G

■ irregular color lines immersed



T8654G



T8655G



T8656G

Product Name : T865G Over the Rainbow

Face Yarn : Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method : Solution Dyed

Construction : Hi/Mi/Lo Loop

Pile Height : 5.0/4.0/2.5 mm

Tile Size : 500 mm × 500 mm

Soil/Stain Protection : DuraTech® Soil Resistance Treatment

Indoor Air Quality : U.S. CRI Green Label Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recycled TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn



Brick



T8651G+T8659G+T8667G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T8663G+T8665G+T8666G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.




T866G

Cheer-up

Colourways

			
T8661G	T8662G ■ Irregular color lines immersed	T8663G	T8664G
			
T8665G	T8666G ■ Irregular color lines immersed	T8667G ■ Irregular color lines immersed	T8668G ■ Irregular color lines immersed

Product Name: T866G Cheer-up
Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon
Dye Method: Solution Dyed
Construction: Hi/Mi/Lo Loop
Pile Height: 5.0/4.0/3.0 mm
Tile Size: 500 mm x 500 mm
Soil/Stain Protection: DuraTech® Soil Resistance Treatment
Indoor Air Quality: U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing: Recycled TUNTEX Commercial Duraback
Foot Traffic: Heavy





T8671G

T867G

Visual Art



Colourways



T8671G



T8672G



T8673G



T8674G



T8675G



T8676G

Product Name: T867G Visual Art

Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method: Solution Dyed

Construction: Hi/Mi/Lo Loop

Pile Height: 5.5/4.5/3.0 mm

Tile Size: 500 mm x 500 mm

Soil/Stain Protection: DuraTech® Soil Resistance Treatment

Indoor Air Quality: U.S. CRI Green Label Plus Certificate


Flammability: Passes ASTM E648-10

Smoke Density: Passes ASTM E662-09


Static: ≤3.5 KV (AATCC 134-06)

Standard Backing: Recycled TUNTEX Commercial Duraback

Foot Traffic: Heavy



1/4 turn



Brick

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T8687G+TA12065+TA12068

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T868G

Oriental Express



Colourways



T8681G



T8682G



T8683G



T8684G



T8685G



T8686G



T8687G




T8688G




T8689G

Product Name: T868G Oriental Express
Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon
Dye Method: Solution Dyed
Construction: Hi/Mi/Lo Loop
Pile Height: 5.5/4.5/3.0 mm
Tile Size: 500 mm x 500 mm
Soil/Stain Protection: DuraTech® Soil Resistance Treatment
Indoor Air Quality: U.S. CRI Green Label Plus Certificate
Flammability: Passes ASTM E648-10
Smoke Density: Passes ASTM E662-09
Static: ≤3.5 KV (AATCC 134-06)
Standard Backing: Recycled TUNTEX Commercial Duraback
Foot Traffic: Heavy



1/4 turn



Brick



T8674G+T8695G


The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T869G

Cloud Nine



Colourways



Product Name: T869G Cloud Nine

Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method: Solution Dyed

Construction: Hi/Mi/Lo Loop

Pile Height: 5.0/4.0/3.0 mm

Tile Size: 500 mm x 500 mm

Soil/Stain Protection: DuraTech® Soil Resistance Treatment

Indoor Air Quality: U.S. CRI Green Label Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing: Recycled TUNTEX Commercial Duraback

Foot Traffic: Heavy



1/4 turn



Brick

T8691G


The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T870G


Cubical Vol.2



Colourways



Product Name: T870G Cubical Vol.2
Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon
Dye Method: Solution Dyed
Construction: Hi/Lo Loop
Pile Height: 4.7/3.0 mm
Tile Size: 500 mm x 500 mm
Soil/Stain Protection: DuraTech® Soil Resistance Treatment
Indoor Air Quality: U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing: Recycled TUNTEX Commercial Duraback
Foot Traffic: Heavy



T8701G+T8704G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T872

Summer Breeze



Colourways



T8721



T8722



T8723




T8724



T8725



T8726



Product Name: T872 Summer Breeze

Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method: Solution Dyed

Construction: Hi / Lo Loop

Pile Height: 5.5 / 3.0 mm

Tile Size: 609 mm x 609 mm

Soil/Stain Protection: DuraTech® Soil Resistance Treatment

Indoor Air Quality: U.S. CRI Green Label Plus Certificate


Flammability: Passes ASTM E648-10

Smoke Density: Passes ASTM E662-09


Static: ≤3.5 KV (AATCC 134-06)

Standard Backing: Recyclable TUNTEX Commercial Duraback

Foot Traffic: Heavy



1/4 turn



Brick

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T875G

Natural Connection



Colourways




T87501G



T87502G



T87503G



T87504G



T87505G



T87506G



T87507G



T87508G



T87509G



T87510G



T87511G

Product Name: T875G Natural Connection

Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method: Solution Dyed

Construction: Loop

Pile Height: 4.5 mm

Tile Size: 500 mm x 500 mm

Soil/Stain Protection: DuraTech® Soil Resistance Treatment

Indoor Air Quality: U.S. CRI Green Label Plus Certificate


Flammability: Passes ASTM E648-10

Smoke Density: Passes ASTM E662-09


Static: ≤3.5 KV (AATCC 134-06)

Standard Backing: Recycled TUNTEX Commercial Duraback

Foot Traffic: Heavy



1/4 turn



Brick

T87511G+T87501G+T87510G+T87508G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.




T876G Herringbone



Colourways



T87601G



T87602G



T87603G



T87604G



T87605G



T87606G



T87607G



T87608G



T87609G




T87610G




T87611G

Product Name: T876G Herringbone
Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon
Dye Method: Solution Dyed
Construction: Hi / Lo Loop
Pile Height: 5.0 / 3.5 mm
Tile Size: 500 mm x 500 mm
Soil/Stain Protection: DuraTech® Soil Resistance Treatment
Indoor Air Quality: U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing: Recycled TUNTEX Commercial Duraback
Foot Traffic: Heavy



1/4 turn



Brick

T87603G+T87507G


The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T877G Fontainebleau



Colourways



T87701G




T87702G



T87703G



T87704G



T87705G



T87706G



T87707G



T87708G



T87709G



T87710G



T87711G

Product Name: T877G Fontainebleau

Face Yarn: Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method: Solution Dyed

Construction: Hi / Lo Loop with tip-shear finish

Pile Height: 5.0 / 3.5 mm

Tile Size: 500 mm x 500 mm

Soil/Stain Protection: DuraTech® Soil Resistance Treatment

Indoor Air Quality: U.S. CRI Green Label Plus Certificate


Flammability: Passes ASTM E648-10

Smoke Density: Passes ASTM E662-09


Static: ≤3.5 KV (AATCC 134-06)

Standard Backing: Recycled TUNTEX Commercial Duraback

Foot Traffic: Heavy



1/4 turn



Brick

T87710G+T87701G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T8852

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Creative is just back to nature. —Gaudi


T885 Edd Tide





Colourways



Product Name : T885 Edd Tide
Face Yarn : Antron® Lumena™ Solution Dyed Type 6, 6 Nylon
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 5.0/3.0 mm
Tile Size : 609 mm x 609 mm
Soil/Stain Protection : DuraTech® Soil Resistance Treatment
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



Vine





T8863

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Qualities must transcends function and circumstance. —Louis i.Kahn

T886 Metro Campus

Colourways



T8861



T8862



T8863



T8864



T8865



T8866



Product Name : T886 Metro Campus

Face Yarn : Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method : Solution Dyed

Construction : Hi/Lo Loop

Pile Height : 5.0/3.0 mm

Tile Size : 609 mm x 609 mm

Soil/Stain Protection : DuraTech® Soil Resistance Treatment

Indoor Air Quality : U.S. CRI Green Lable Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn




Brick



Sculpture must not be unique, it is life. —Auguste Rodin

T887 DownTown Alley



Colourways



T8871



T8872



T8873



T8874



T8875



T8876



T8877



T8878



T8879

Product Name : T887 DownTown Alley

Face Yarn : Antron® Lumena™ Solution Dyed Type 6, 6 Nylon

Dye Method : Solution Dyed

Construction : Hi/Mi/Lo Loop

Pile Height : 5.0/4.0/3.0 mm

Tile Size : 609 mm x 609 mm

Soil/Stain Protection : DuraTech® Soil Resistance Treatment

Indoor Air Quality : U.S. CRI Green Label Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn




Brick

T8873+T8875+T8877

The image is computer generated file and may not exactly represent actual installation appearance and tile design.


Zebra Texture





T8891

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.




T889

Grainfield

Colourways



Product Name : T889 Grainfield
Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop
Pile Height : 5.0/4.0/3.5 mm
Tile Size : 609 mm x 609 mm
Soil/Stain Protection : DuraTech® Soil Resistance Treatment
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy





T9061

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Fashion is architecture, it is a matter of proportions. —Coco. Chanel

T906 Network

Colourways



T9061



T9062



T9063



T9064




T9065




T9066

Product Name : T906 Network
Face Yarn : Universal Nylon 6,6 + Antron® Lumena™ Nylon 6,6
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 4.5/2.5 mm
Tile Size : 609 mm x 609 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn




Brick



T9082

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



Leisure

T908 Runway

Colourways



T9081



T9082




T9083



T9084

Product Name : T908 Runway
Face Yarn : Universal Nylon 6,6
Dye Method : Solution Dyed
Construction : Loop
Pile Height : 4.0 mm
Tile Size : 609 mm x 609 mm
Indoor Air Quality : U.S. CRI Green Label Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



T917


WillowWeave

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Colourways



Product Name : T917 WillowWeave
Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Hi/Mi/Lo Loop
Pile Height : 5.5/4.5/3.0 mm
Tile Size : 500 mm x 500 mm
Soil/Stain Protection : DuraTech® Soil Resistance Treatment
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy




T962

Sandstone




Colourways



T96201



T96202



T96204



T96206



T96209



T96210



T96212




T96213



T96214



T96215



T96216

Product Name : T962 Sandstone

Face Yarn : Universal Nylon 6,6

Dye Method : Solution Dyed

Construction : Loop

Pile Height : 3.0 mm

Tile Size: 500 mm x 500 mm

Indoor Air Quality : U.S. CRI Green Label Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy




1/4 turn



Brick

T96201+T96204+T96212

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



Sky Scraper





TA1204

Line Up



Colourways



TA12041



TA12042



TA12043



TA12044




TA12045




TA12046

Product Name : TA1204 Line Up
Face Yarn : Universal Nylon 6,6
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 5.0/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



Brick

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



TA12062+TA12067+TA12068

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


TA1206 Highlights




Colourways

TA12061	TA12062	TA12063	TA12064
TA12065	TA12066	TA12067	TA12068
TA12069	TA120610	TA120611	

Product Name : TA1206 Highlights
Face Yarn : Universal Nylon 6,6
Dye Method : Solution Dyed
Construction : Hi/Lo Loop
Pile Height : 4.5/3.0 mm
Tile Size : 500 mm x 500 mm
Indoor Air Quality : U.S. CRI Green Lable Plus Certificate
Flammability : Passes ASTM E648-10
Smoke Density : Passes ASTM E662-09
Static : ≤3.5 KV (AATCC 134-06)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy



1/4 turn



Brick



TA12075

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

TA1207 Fragment



Colourways



TA12071



TA12072



TA12073



TA12074



TA12075



TA12076



TA12077

Product Name : TA1207 Fragment

Face Yarn : Universal Nylon 6,6

Dye Method : Solution Dyed

Construction : Loop

Pile Height : 4.0 mm

Tile Size : 500 mm x 500 mm

Indoor Air Quality : U.S. CRI Green Lable Plus Certificate


Flammability : Passes ASTM E648-10

Smoke Density : Passes ASTM E662-09


Static : ≤3.5 KV (AATCC 134-06)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy



1/4 turn



Brick



Quality Stylish Ethical
Environmental Service
Trust

Exclusively By:

UTOPIA
L I V I N G

UTOPIA LIVING SINGAPORE PTE LTD
200 Turf Club Road #07-09/10/11
Singapore 287994

enquiry@utopialiving.biz
www.utopialiving.biz